Net·Call (PTY) LTD
PABX - VOIP

Yealink W73H
Yealink DECT Handset

Service through Experience

Now in:
Polokwane, Limpopo
Nelspruit, Mpumalanga
Potchefstroom, Northwest
Somerset West, Western Cape
Rustenburg, Northwest

info@netcall.co.za | www.netcall.co.za

| HD Audio | Long Standby Time | 3.5mm Headset Jack | Belt Clip | Noise Cancellation |

Key Features & Benefits

Yealink DECT Handset

The Yealink W73H is the new-generation of stylish modern wireless handset designed for business use with a new ID design, which is more sleek, convenient to carry, and has better battery life and communication quality.

Combining the benefits of wireless communication with rich business features of Voice-over-IP telephony, it empowers users with convenient wireless communication, excellent speech quality, and encrypted call information by the reliable DECT encryption technology. Its graphical color display will provide you with a comfortable and joyful user experience for the all-day work. The W73H is perfectly compatible with Yealink W70B. The W73P system can support 10 handsets, 10 SIP accounts, and 20 simultaneous calls (2 calls per handset). The W73H will be perfectly compatible with the W90 multi-cell system, providing you with more options for your office expansion.

- New modern commercial design, more compact and easy to carry
- Up to 35 hours talk time (in ideal conditions)
- Up to 400 hours standby time (in ideal conditions)
- HD voice and FNR (Flexible Noise Reduction) / Noise Cancellation
- Headset connection via 3.5mm jack
- Sturdy and reliable belt clip to move discretionarily

DECT technology:

Yealink DECT technology is based on CATiq2.0, which focuses on high quality Audio VoIP (wideband), as well as low bit - rate data applications. But we are not compatible with any third-party DECT devices (base station, handset, etc.).

Compliance

CE FC RoHS REACH ISO 9001 broadsoft 3CX Asterisk® Compatible metaswitch

Net·Call

Display
1.8'' 128x160 TFT color screen
Intuitive user interface with icons and soft keys
Caller ID with name and number
Notification Light: voice mail, missed call
Date & time (manual/auto synchronization)
Screen saver
Multilingual user interface
Keypad backlight

Phone Features
Up to 2 simultaneous calls per handset
Handset select for receiving call
Handset and Number select for making call
Auto intercom, auto answer
3-way conference
Call forward: Always/Busy/No Answer
DND
Call waiting, mute, hold
Call transfer
Swap between calls
Redial
Speed dial
Voice mail
Silence
Dial plan: Replace Rule/Area Code/Block Out
Keypad lock, emergency call
100 phone book memory (store in the base)
Remote phonebook, LDAP, XML phonebook
Phonebook search, block list
Call history: All/Placed/Missed/Received (up to 100 entries)

Direct IP call without SIP proxy
Reset to factory, reboot
Anonymous call, Anonymous call rejection
OTA (Over-The-Air) upgrade

Voice Features
Full-duplex speakerphone
HD audio
Hearing Aid Compatibility (HAC) compliant
Frequency response—100 Hz–7 kHz
FNR (Flexible Noise Reduction)/Noise Cancellation
Receiver volume control: 5 steps
Ringer volume control: 5 steps+off
9 ringer melodies
Multiple advisory tones
Acoustic warning for low battery status
DTMF

Physical Features
Handset Size:144.5 mm x 48 mm x 21 mm
Handset Weight: 112 g
Color: Space Gray
Battery: 1010 mAh, Lithium-ion, 3.7 V, 3.73 WH
- Up to 35 hours of talk time (in ideal conditions)
- Up to 400 hours of standby time (in ideal conditions)
Headset jack (3.5 mm)
Charger: DC 5V/0.6A Output
Power Adapter:
- Input: 100-240 V ~ 50/60 Hz, 0.2 A
- Output: 5 V, 0.6 A

Backlit keypad with 25 keys:
- Standard ITU telephone keypad, 12 keys, 4x3, with star and pound key
- 5 navigation keys (left, right, up, down, OK)
- 2 softkeys
- 6 function keys (Speaker, message, Off-hook, Cancel, TRAN, Mute)
- 6 shortcut keys
Operating humidity: 10-95%
Operating temperature: 0 to 40°C (+32 to 104°F)
Storage temperature: -30 to 70°C (-22 to +158°F)

DECT
Frequency bands:
1880 – 1900 MHz (Europe), 1920 – 1930 MHz (US), 1902 – 1906 MHz (THA)
DECT Range:
- Up to 50 meters indoor (in ideal conditions)
- Up to 300 meters outdoor (in ideal conditions)
DECT Standards: CAT-iq2.0

Package Features
Package contents:
- W73H Handset
- Charger Cradle
- Rechargeable Battery
- Belt Clip
- Power Adapter
Qty/CNT: 20 PCS
Giftbox size: 181mm × 104 mm × 90 mm
Carton meas: 473 mm × 443 mm × 198 mm
N.W: 7.316 kg
G.W: 8.3148 kg